

# RS6-34 GEN:3

# RS




# GEHL®


Capacities		Imperial
Max. capacity		6000 lb
Max. lifting height		34 ft 3 in
Max. outreach		23 ft
Weight and dimensions		
Overall length to carriage	l11	16 ft
Length to face of forks	l2	16 ft 1 in
Overall width	b1	7 ft 10 in
Overall height	h17	7 ft 9 in
Wheelbase	y	9 ft 2 in
Ground clearance	m4	14 in
External turning radius	Wa3	12 ft 6 in
Unladen weight		15102 lb
Overall weight		15113 lb
Standard tires		15 x 19.5
Frame leveling longitudinal +/-		10 °
Engine		
Engine brand		Deutz
Engine norm		Stage IV / Tier 4 Final
Engine model		TD 3.6 L4
I.C. Engine power rating - Power		74 Hp / 55 kW
Max. torque / Engine rotation		243 ft/lbs @ 2500 rpm
Transmission		
Transmission type		Torque converter with powershift gearbox
Number of gears (forward / reverse)		3 / 3
Max. travel speed		18 mph
Parking brake		Hydraulic spring release SAHR
Service brake		Wet disc brakes
Axle Manufacturer		Dana
Hydraulics		
Hydraulic pump type		Gear pump
Hydraulic flow / Pressure		29 US gpm-3002 PSI
Tank capacities		
Hydraulic oil		29 US gal
Fuel tank		29 US gal
Miscellaneous		
Steering wheels (front / rear)		2 / 2
Drive wheels (front / rear)		2 / 2
Safety cab homologation		ROPS/FOPS
Controls		Single Joystick FNR

## RS6-34 GEN:3 - Load chart

Machine on tires with forks Imperial



- ▲ A 6,000 lbs. (2722 kg)
- B 5,000 lbs. (2268 kg)
- C 4,000 lbs. (1814 kg)
- D 3,000 lbs. (1361 kg)
- E 2,000 lbs. (907 kg)
- F 1,500 lbs. (680 kg)
- G 1,000 lbs. (454 kg)
- 900 lbs. (408 kg)



# GEHL®

Siège Social  
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095  
Tel: (262) 334-9461 - Fax: (262) 338-7517  
[www.gehl.com](http://www.gehl.com)



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend