

# ROUND BALER

ACTION 120 / ACTION 150





**Your partner  
in farming**



# ROUND BALER

ACTION 120 / ACTION 150



When it comes to crafting the perfect hay, you need a balance of **quantity and quality**. At Sitrex, we understand that every stage of the process matters. That's why, since 1970, we've been innovating to help you preserve the feed value of your forage.

From the moment you start **harvesting** to the final **bale wrap**, Sitrex is your trusted partner. We're not just experts: we're farmers at heart and we understand the challenges you face. Together, we'll master every shade of green and gold, ensuring your forage is the best it can be.

Choose Sitrex's agricultural machinery to turn your **haymaking** into a success.

## ROUND BALER

ACTION 120 / ACTION 150

**Reliability,  
simplicity  
and low cost of  
maintenance.**



*Better forage means more milk production and healthier animals.  
The quality of the forage is fundamental for animal health  
and for good company revenues.*



The Round Baler Action series is a baler for cylindrical bales with fixed chamber and a chain/bars system, ideal for any type of the product, from those dry to green.

Robust, simple, reliable and with contained dimensions, it assures low management costs and excellent performance in the difficult conditions.



## ROUND BALER

ACTION 120 / ACTION 150

# Action series, designed to last over time.



The Sitrex Actions series could be equipped with a range of the accessories that can be modulated in order to fit this machine to any situation, maximum versatility for companies of any dimension.

### OPTIONAL

- Control unit M100
- Automatic control unit M200
- Automatic chains lubrication
- Bale ejector
- Pickup fixed wheels
- Pickup iron wheels
- Adjustable pickup wheels
- 15" wheels



**Pickup 170 cm.**




**Pickup 200 cm.**



**Alternative comb-feeder.**



**Double twine binding.**



**Net binder.**



**Adjustment bale density.**



**Opening/closing hooks of rear door.**




**Adjustable wheel axle.**



**10" / 11" wheels.**

# ROUND BALER

## ACTION 120



# ROUND BALER

ACTION 150



# ROUND BALER

ACTION 120 / ACTION 150

Specifications	ACTION 120	ACTION 150
<b>Chamber</b>	Fix	Fix
<b>Bale dimensions</b>	120 X 120 cm	120 x 150 cm
<b>Bale winding</b>	bars	bars
<b>Bars number</b>	34	41
<b>P.T.O. Rpm</b>	540 RPM	540 RPM
<b>Power Required</b>	30 Kw 40 Hp	37 Kw 50 Hp
<b>Pick-up width</b>	170   200 cm	170   200 cm
<b>Bars teeth-holder each bar</b>	4/19   4/23	4/19   4/23
<b>Standard tyres</b>	10.0/75-15   11.5/80-15	11.5/80-15
<b>Hydraulic Requirement</b>	2xSA	2xSA
<b>Width</b>	217 - 244   232 - 244 cm	230 cm
<b>Height</b>	201 cm	230 cm
<b>Length</b>	359 - 384 cm	390 cm
<b>Empty weight</b>	2020   2070 kg	2200   2250 kg

Designs, materials and/or specifications are subject to change without notice and without liability thereof.



# Your partner in farming



Organization with certified Management System ISO 9001