


## Specifications and Capacities


|                          | 706  |                       |                       | 1006                                       |                       |                       |
|--------------------------|--|-----------------------|-----------------------|--|-----------------------|-----------------------|
| Row Spacing, Inches      | 7  | 7.5                   | 8                     | 7  | 7.5                   | 8                     |
| Rows Per Drill           | 11   | 10                    | 10                    | 16   | 15                    | 14                    |
| Approx. Weight, Pounds   | 3,900 lb<br>(1769 kg)                      | 3,800 lb<br>(1724 kg) | 3,800 lb<br>(1724 kg) | 4,500 lb<br>(2041 kg)                      | 4,300 lb<br>(1950 kg) | 4,200 lb<br>(1905 kg) |
| Working Width            | 7 feet (2.1 m)                             |                       |                       | 10 feet (3.0 m)                            |                       |                       |
| Transport Width          | 9 feet 10 inches (3 m)                     |                       |                       | 12 feet 7 inches (3.8 m)                   |                       |                       |
| Transport Height         | 6 feet 7 inches (2.0 m)                    |                       |                       | 6 feet 7 inches (2.0)                      |                       |                       |
| Transport Length         | 13 feet 10 inches (4.2 m)                  |                       |                       | 13 feet 10 inches (4.2 m)                  |                       |                       |
| Tongue Weight, Transport | 700 lb (318 kg)                            |                       |                       | 750 lb (340 kg)                            |                       |                       |
| Tongue Weight, Field     | 460 lb (209 kg)                            |                       |                       | 268 lb (123 kg)                            |                       |                       |
| Approx. Seedbox Capacity | 17.1 bushels (602.5 l)                     |                       |                       | 23.75 bushels (836.9 l)                    |                       |                       |
| Small Seeds              | 1.68 bushels (59.2 l)                      |                       |                       | 2.4 bushels (84.6 l)                       |                       |                       |
| Native Grass             | 7 bushels (9246.7 l)                       |                       |                       | 10 bushels (352.4 l)                       |                       |                       |
| Fertilizer               | 6.5 cubic feet (184.1 l)                   |                       |                       | 9.2 cubic feet (260.5 l)                   |                       |                       |
| Dual Seed                | 7 bushels (9246.7)                         |                       |                       | 10 bushels (352.4 l)                       |                       |                       |
| End Wheel Tires          | 9.00 x 24                                  |                       |                       | 9.00 x 24                                  |                       |                       |
| Tractor Requirements     | 55 horsepower (41 kw);<br>one remote valve |                       |                       | 75 horsepower (56 kw);<br>one remote valve |                       |                       |

### Hydraulic Schematic




# Sprocket Configuration


## Seed Box




## Seed Box Agitator




### Dual Seed Box




### Small Grass Seeds



### Native Grass



### Fertilizer



### Fertilizer with Small Grass Seeds Box

