

4000 & 8000 SERIES | 4220, 8330

 **JCB**

FASTRAC iCON



RATED POWER
218 - 335 hp

TORQUE
738 - 1,070 lbf

REAR LIFT CAPACITY
15,432 - 22,046 lb



FASTRAC iCONFIGURE

A customized operator experience



FASTRAC iCONNECT

Precision technology at your fingertips



FASTRAC iCONTROL

Redefining your driving experience

FASTRAC iCON PRODUCTIVITY.

Building on renowned productivity, the introduction of a fully configurable operator environment, integrated precision technology and superior machine control, raises the bar even higher.



ENGINEERED FOR EFFICIENCY

The new configurable control system and ISOBUS compatibility makes changing between implements even easier.

FASTRAC iCON VERSATILITY.

Front and rear hitches, PTOs and rear deck allow the attachment of many implements. 4-wheel steer with selectable steering modes on the 4000 Series adds further versatility.



MORE THAN MEETS THE EYE

The combination of rear deck and advanced suspension allows the machine to be lowered for fitting attachments easily.


FASTRAC iCON COMFORT.

The Fastrac's iconic ride comfort is delivered by a combination of advanced suspension and mid-mounted cab. An adjustable screen, seat, armrest and configurable controls provide extra comfort.



YOUR NEW FARM OFFICE

Enjoy greater comfort, with new heated and ventilated seat, plus climate control, with solar load monitoring.



FASTRAC iCON SAFETY.

All-round disc brakes deliver greater stopping power, while ABS as standard provides exceptional control when braking. The anti-roll bars and advanced suspension system offer improved stability at high speed.



PEACE OF MIND

Dual-line steering*, twin-caliper brakes and a full-length rigid chassis provide high levels of safety.



*8000 series only

FASTRAC iCON SPEED.

Get ahead of the competition with class-leading speeds on road and infield, with a maximum speed of up to 43mph.



POWERFUL DELIVERY

The 6-cylinder engine and CVT transmission, managed by the Smart Transmission Control, delivers up to 335hp and 1,070 lbf torque.

4000 & 8000 SERIES | 4220, 8330



SPECIFICATION.

MODEL		4220	8330
Rated power	hp	218	335
Max power	hp	235	348
Torque	lbf	738	1,070
Rear 3-point linkage lift capacity	lb	15,432 or 17,637 option available	22,046
Front 3-point linkage lift capacity (opt)	lb	7,716	7,716
Max hydraulic flow	gpm	52	47



STANDARD FEATURES.

- Configurable armrest
- 12" HD touch screen
- Bluetooth connectivity
- Automatic climate control
- 60° seat rotation
- All-round ABS disc brakes
- Advanced suspension
- 4WD & diff-lock
- Rear deck
- Full-size buddy seat



FASTRAC iCON.
iCONFIGURE. iCONNECT. iCONTROL.

FIND OUT MORE

REQUEST A QUOTE

 **JCB**

www.jcb.com

