

2000 | 3000 | 4000 Series

24.1 to 66 hp (17.7 - 48.5 kW) Compact Utility Tractors



2000 Series



3000 Series



4000 Series

2000 Series: 2320 / 2520 / 2720

The top performers always make it look easy.

Effortless and natural. That's what it feels like to get behind the wheel of our premium 2000 TWENTY Series Tractors. These compacts have the comfort and convenience features other tractors in their category salivate over: standard cruise control, Drive Over Deck, power steering, and an optional independent lift kit.

Throw in durable "big-tractor" features like a full Category 1 three-point hitch and heavy-duty axles for higher loads and you have three compacts who act like heavyweight contenders.

If you're looking for a tractor that's compact but operates on another level, take a look at the 2320, 2520, and 2720.

DIMENSIONS



Hood height: 1355 mm (53.3 in.) (2320)
1200 mm (47.2 in.) (2520, 2720)

Wheelbase: 1600 mm (63 in.) (2320)
1655 mm (65.2 in.) (2520, 2720)

Length: 2774 mm (109.2 in.) (2320)
2766 mm (108.9 in.) (2520, 2720)



Folded ROPS height: 1725 mm (67.9 in.) (2320)
1750 mm (68.9 in.) (2520, 2720)

Min. width: 941 mm (37.1 in.) (2320)
995 mm (39.2 in.) (2520, 2720)

Width: 1295 mm (51 in.) (2320)
1336 mm (52.6 in.) (2520, 2720)

STANDARD FEATURES AND OPTIONS

- 1 **Optional Independent Lift Kit**
Uses tractor hydraulics to raise and lower deck, independent of the 3-point hitch position
- 2 **Folding ROPS**
A folding ROPS is standard and comply with ASAE and OSHA standards
- 3 **Power Steering**
Hydrostatic power steering provides smooth and steady manoeuvring
- 4 **On Ramp Drive Over Deck**
Allows for easy attaching of mower deck
- 5 **200 CX Loader**
The 200 CX Loader lets you attach and detach in under 3 minutes – with no tools
- 6 **Loader Joystick**
Convenient loader joystick is positioned close at hand and clear of your knee
- 7 **Twin Touch™**
Twin Touch™ transmission pedals make it easy to switch from forward to reverse, and let you rest your heel on the platform the whole time you drive
- 8 **Cruise Control**
Standard, easy-to-use cruise control lets you concentrate on the tasks at hand

Optional Extras: Fit your tractor with a canopy, work lights, weights, hood guard, hydraulic kit and more





7
Twin Touch™ transmission pedals make it easy to switch from forward to reverse, and let you rest your heel on the platform the whole time you drive.



8
Standard, easy-to-use cruise control lets you concentrate on the task at hand.

OPTIONAL EXTRAS

- Canopy
- Forward work lights
- Front weights
- Hood guard
- Independent hydraulic mower lift
- Mechanical hydraulic diverter
- Power beyond hydraulics
- Rear wheel weights
- Rear work light
- Umbrella
- Warning light guards
- 3rd SCV rear hydraulic kit



3000 Series: 3E

Quality that won't surprise you—
but the price will.

Our 3E Series Tractors were built with the notion that, if you excel in the areas that matter the most, you'll exceed expectations as well. That's why the 3032E and 3038E have extremely efficient diesel engines that feature impressive torque reserves that allow you to take on punishing loads.

You'll also be surprised to find a hydrostatic transmission with Twin Touch™ pedals instead of a gear version. Power steering also comes standard, which makes manoeuvring a breeze.

Standard differential lock and 4WD give you the traction you need over rugged terrain. And the folding ROPS is certified and easily fits under a seven-foot garage door.

DIMENSIONS



Wheelbase: 1525 mm (60 in.)
Length: 2820 mm (111 in.)

Hood Height: 1315 mm (51.8 in.)



Min. width: 608 mm (23.9 in.)
Width: 1434 mm (56.5 in.)

Height: 2115 mm (83.3 in.)

STANDARD FEATURES AND OPTIONS

- 1 **Optional iMatch™ Quick-Hitch**
Make lining up and attaching implements a snap
- 2 **Electro-Hydraulic PTO Engagement**
Allows smooth, effortless on/off of PTO-driven implements
- 3 **Effortless Power Steering**
Experience effortless power steering during loader operation
- 4 **23.1 & 27.3 kW – Yanmar Liquid-Cooled Diesel Engine**
Efficient diesel engines that offer deep reserves of torque for handling tough loads
- 5 **305 Loader**
Offers the ultimate lift capacity 539 kg
- 6 **Standard Differential Lock and 4WD**
Add traction going over challenging ground
- 7 **Hydrostatic Transmission**
Thanks to Twin Touch™ pedals w/optional cruise control
- 8 **Optional 2nd SCV**
Provides additional versatility in a variety of jobs





3000 Series: 3320 / 3520 / 3720

The performance you demand, the comfort you deserve.

It's a difference you can tell from the moment you sit down—this is not tractor as usual. With the John Deere 3000 TWENTY Series Tractors, you can see that the attention to detail is something special.

Start with AutoHST™ this auto-like transmission option for the 3520 and 3720 makes operating these tractors as easy as driving to the grocery store. All you have to do is press a single foot pedal to go forward and shift to reverse using a hand lever. And, with the eHydro™ transmission, performance is never an issue with the Performance Tracking System. It accurately monitors the tractor's functions and systems, giving you instant feedback for quick diagnosis.

Throw in additional features like the LoadMatch™ electronic power management system, the Quik-Park™ loaders, and standard 4WD and you have three tractors that are without peers.

DIMENSIONS



- 1 LoadMatch™**
LoadMatch™ electronic power management system maximises torque and virtually eliminates the possibility of stalling*
- 2 Performance Tracking System**
An exclusive digital Performance Tracking System instantly tells you the status of the vital systems on your tractor
- 3 Digital Speedometer**
A digital speedometer is perfect for precision tasks like seeding*
- 4 Direct-Injection**
Direct-injection diesel engines are quick starting offer deep reserves of torque for pulling heavy loads
- 5 Tilt Steering**
Tilt steering wheel and seat adjust for your comfort

*On eHydro and AutoHST models





6 Controls
Standard loader joystick stays close at hand and clear of your knee

7 Standard 4WD
Digs in when doing loader work or rotary cutting over challenging ground

8 300 CX Loader
The 300 CX Loader lets you attach and detach in minutes—with no tools

9 Folding ROPS
An EZ™ Fold ROPS ensures tractor fits easily in any shed

10 Up to 5 SCV
Up to five independent selective control valves for a wide variety of hydraulic implements

STANDARD FEATURES

Transmission

AutoHST™

Effortless two-pedal automatic transmission with easy shifting from forward to reverse at the touch of a pedal

- Familiar car-like control layout
- Engine speed controlled with single pedal
- Automotive Cruise, SpeedMatch™ and MotionMatch™ customise speed to any application
- Shift lever on the console for forward, neutral and reverse
- Available on the 3520 and 3720 open station tractors

eHydro™

Effortless two-pedal automatic transmission. With easy shifting from forward to reverse at the touch of a pedal, it's ideal for everything from loading to mowing. Automotive Cruise, SpeedMatch™ and MotionMatch™ customize speed to any application. Plus, there's a LoadMatch™ power management system.

PowrReverser™

Convenient dash-mounted lever makes this manual transmission easy to shift from forward to reverse without clutching—a noticeable benefit when loading.



OPTIONAL EXTRAS

- Electro-hydraulic 3rd SCV
- Electric diverter/2 add'l rear hydraulic couplers
- 4th/5th independent SCVs (open station only)
- Power beyond hydraulics
- A-frame front hitch
- Air ride seat
- Automotive-style cruise control (eHydro and AutoHST)
- Canopy
- Hydraulic mower lift
- Mid PTO
- Sunshade umbrella
- Top-and-tilt kit for 3-point hitch
- Vertical exhaust
- AutoConnect™ mid-mower deck
- ComfortGard™ Cab
- iMatch Quick-Hitch

4000 Series: 4320 / 4520 / 4720

Settle in for the long haul.

When it comes to comfort and performance, John Deere 4000 TWENTY Series Tractors stay ahead of the game with premium features and an efficient design. Take the adjustable, ergonomic driver's seat, for instance. Or pedals that reduce stress on your legs and ankles.

When you add features like the Economy PTO for extra fuel savings and the exclusive Performance Tracking System for at-a-glance system monitoring, you've got a tractor that combines advanced technology with superior comfort.

DIMENSIONS



- 1 **LoadMatch™ electronic power management system**
Maximises torque and virtually eliminates the possibility of stalling
- 2 **Quik-Park™ loaders**
These can be attached and detached in minutes—without tools. Mechanical self-levelling loader ensures full buckets everytime when loading
- 3 **Standard 4WD**
Digs in when doing loader work or rotary cutting over challenging ground
- 4 **Available eHydro™ hydrostatic transmission**
Makes it easy to switch from forward to reverse, plus lets you rest your heel on the platform
- 5 **Performance Tracking System**
The exclusive digital system instantly tells you the status of the vital systems on your tractor
- 6 **Economy PTO**
Runs at a lower rpm, providing fuel efficiency without compromising power or capacity (4520/4720)
- 7 **Up to 5 hydraulic SCVs**
Provides expanded versatility when using multiple hydraulic implements





STANDARD FEATURES & OPTIONS

Transmission

eHydro™

Effortless two-pedal automatic transmission. With easy shifting from forward to reverse at the touch of a pedal, it's ideal for everything from loading to mowing. And with eThrottle™ on 4520 and 4720, a turn of a switch allows the tractor to operate like a car, by linking engine and transmission together.

PowrReverser™

Convenient dash-mounted lever makes this manual transmission easy to shift from forward to reverse without clutching—a noticeable benefit when loading.

Tyre Options

Bar Tread/R1: Provides the best traction, not as gentle on turf.

Turf Tyres/R3: Less aggressive tread is perfect for mowing and landscape work.

Turf Special/R3: Specialty high-floatation tyres typically used on fine turf like golf courses.

Industrial/R4: Excellent traction and is softer on the grass than R1s. Often the preferred choice.

OPTIONAL EXTRAS

- Electro-hydraulic 3rd SCV
- Electro-hydraulic 4th/5th SCVs (cab only)
- Mechanical 4th/5th SCVs (open station)
- Electric diverter/2 add'l rear hydraulic couplers
- Air ride seat
- Automotive-style cruise control (eHydro only)
- Canopy
- Mid PTO
- Power beyond hydraulics
- Sunshade umbrella
- Seat armrests
- Top-and-tilt kit for 3-pt. hitch
- Vertical exhaust
- Economy PTO (optional on 4520 and 4720)



4000 Series: 4105

Quality and power comes standard.

It's quick, compact—and anything but basic. The John Deere 4105 Compact Utility Tractor is built for hard work without the hassle, especially when it comes to loading, mowing and backhoe work.

You'll experience standard hydrostatic transmission with no clutching or shifting with the 4105.

Plus, the 4105 gives you Twin Touch™ pedals, 4WD and power steering.

DIMENSIONS



Wheelbase: 1750 mm (69.0 in.) / 1727 mm (68.0 in.)

Length: 2137 mm (84.2 in.) / 3053 mm (120.2 in.)



Hood Height: 1344 mm (53 in.) / 1460 mm (57.5 in.)

Height: 2470 mm (97.2 in.) / 2239 mm (88.1 in.)

Min. width: 775 mm (30.5 in.) / 816 mm (32.1 in.)

Width: 2021 mm (79.6 in.) / 1601 mm (63.0 in.)

- 1 **29.8 kW—Yanmar Liquid-Cooled Diesel Engine.**
Efficient diesel engines that offer deep reserves of torque for handling tough loads.
- 2 **Fixed Roll Over Protective Structure**
Certified to ASAE standards.
- 3 **iMatch™ Quick Hitch**
Optional feature makes lining up and attaching rear implements a snap.
- 4 **Quik-Park™ 300 CX Loader**
Can be attached and detached in less than three minutes with no tools and never leaving the seat.
- 5 **Effortless power steering**
Even during loader operation.
- 6 **4WD and differential lock**
Dig in during loader work or traveling over challenging ground.
- 7 **Optional cruise control**
Provides effortless, automotive-like control while reducing operator fatigue and increasing productivity.
- 8 **Electro-hydraulic SCV**
Makes grapple work effortless.





4105 Compact Utility Tractors

Standard with hydrostatic transmission, no clutching or shifting, changes direction on a dime, perfect for loader, mowing and backhoe work.

3000 & 4000 Series: 3020 & 4020 Optional Cab

Room with a view.

It could be a long, hot, dusty day. Or it could be cold, wet, or freezing. Either way, you don't care, since you're sitting in the ultimate comfort of a John Deere 3020 or 4020 optional cab.

Six adjustable vents are strategically placed to keep you at the optimum temperature, winter, spring, summer, or autumn. And this "room" is so tightly sealed, even most dust particles or allergens can't make their way inside.

So come in, shut the door, and get ready to work in absolute perfect conditions.

1 Visibility
Unique raised header bar, four-post design and high seat placement enable 360-degree views for safer manoeuvring.

2 Climate control
Roof-mounted system offers 15,000 BTUs of cooling and 30,000 BTUs of heating for year-round comfort.

3 Allergen protection
ComfortGard™ cab keeps out dust and clippings—as well as microscopic allergens.

4 Right-hand control centre
Levers and controls are within easy reach for more efficient operating.

Automotive features

- Cup holder
- Arm rest
- 2-speed windshield wiper
- Sun visor
- Stereo with iPod™ dock
- Automotive cruise control (set, resume, accelerate, decelerate)
- Automotive-style hand parking brake





Not just a good view, a vista

With a combination of high seat placement, curved sides and few obstructions, you have a commanding 360° view to the front, either side, and to the rear.

Deluxe air-ride seat

Provides superior cushioning for a consistently smooth, comfortable ride over the roughest terrain. Highly recommended for commercial users.

True commercial-grade backhoes mount and dismount easily

Bucket rotation of 180 degrees is perfect for trenching without leaving behind spillage. Now available on cab and open station models.



STANDARD FEATURES & OPTIONS

- Air conditioning and heat
- Forward work lights
- Front windshield wiper
- Deluxe cloth seat
- Sun visor
- Right-hand control centre
- Exclusive raised header bar
- Available R1, R3, R3 fine turf and R4 tyres
- Cab speaker kit

OTHER OPTIONS

- Deluxe air-ride seat
- Dual external rearview mirrors
- AM/FM radio w/ CD and iPod™ dock
- Beacon light
- Back up alarm
- Front fender kit
- Rear fender extension kit
- Rear work light kit
- Electro-hydraulic 3rd SCV
- Electric divert/2 add'l rear hydraulic couplers

Autoconnect™ Deck: 3320 / 3520 / 3720

Get it on.
And get on
with it.

Time. You only have so much of it, especially on the weekend. So when you want to work with an implement, you don't want to spend precious time wrestling with it.

So that's why we considerably shortened the time between starting up your tractor and getting work done with Quik-Park™ loaders and AutoConnect™ decks.

- 1 In Range A with 4WD engaged, lower the mid-mount hitch.
- 2 Drive over the deck ramps.
- 3 Listen for two clicks as the deck attaches, and you are done.



Attachments

Pick up and go.

Dozens of attachments are ready and waiting for you to give them a spin. From backhoes to rotary cutters and every task in between, John Deere commercial-grade attachments not only do it all, they do it better and sooner.

The time between starting up your tractor and getting work done is considerably shorter, thanks to John Deere Quik-Park™ loaders.



1

Quik-Park™ Loaders

Fast cycle times, self levelling (400CX only), and impressive lift capacity for superior loading performance. Save time loading and save time putting them on and taking them off — a mere three minutes or less.

2

Tiller

Commercial-duty with heavy-duty tubular tine shafts for excellent performance and durability even in packed-down soil conditions.

3

Rotary Cutters

Designed to cut wide areas fast and those hard-to-reach areas easier.

4

Backhoes

Powerful digging and backfilling action along with excellent visibility to the trench. Includes the exclusive and time-saving creep-to-reposition feature which allows vehicle movement from the backhoe operator seat position. Available for cab and open-station models.

	2320	2520	2720	3032E	3038E	3320	3520	3720
WEIGHT								
With all fluids	753 kg (1,660 lb.)	846 kg (1,865 lb.)	895 kg (1,973 lb.)	947 kg (2,087 lb.)	947 kg (2,087 lb.)	999 kg (2,200 lb.)	1316 kg (2,900 lb.)	1316 kg (2,900 lb.)
Loader (200x/200CX) Lift capacity at full height (pivot point)***	465 kg (1,023 lb.)	467 kg (1,027 lb.)	467 kg (1,027 lb.)	n/a	n/a	n/a	n/a	n/a
Loader (305) Max Height Lift Capacity at Pivot	n/a	n/a	n/a	539 kg (1,598 lb.)	539 kg (1,598 lb.)	n/a	n/a	n/a
Loader (W/300CX) Max Height Lift Capacity at Pivot	n/a	n/a	n/a	n/a	n/a	725 kg (1,598 lb.)	725 kg (1,598 lb.)	725 kg (1,598 lb.)
Rops	Folding	Folding						
Comfortgard Cab™	n/a	n/a	n/a	n/a	n/a	Optional	Optional	Optional
Cruise Control	Standard	Standard	Standard	Optional	Optional	Standard	Standard	Standard
LoadMatch™	n/a	n/a	n/a	n/a	n/a	Standard	Standard	Standard
Auto Cruise / Motion Match	n/a	n/a	n/a	n/a	n/a	Optional	Optional	Optional
Air Ride Seat	n/a	n/a	n/a	n/a	n/a	Optional	Optional	Optional



§ Manufacturer's estimate of power (ISO) per 97/68/EC.

*** For a complete list of loader specifications see your dealer.

† The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less.

‡ Open station only.

Specifications

	4105	4320	4520	4720
ENGINE		John Deere PowerTech™	John Deere PowerTech™	John Deere PowerTech™
Type	Yanmar 3-cylinder diesel	4-cylinder turbocharged diesel	4-cylinder turbocharged diesel	4-cylinder turbocharged diesel
HP*	40.5 (29.8 kW)	48 (35.3 kW)	60 (44.1 kW)	66 (48.5 kW)
PTO HP	32.5 (24.2 kW)	39.9 (29.8 kW)	50/52 (37.3/38.8 kW)	56 (41.8 kW)
Engine Displacement	1.5 L (91.5 cu. in.)	2.44 L (148.9 cu. in.)	2.44 L (148.9 cu. in.)	2.44 L (148.9 cu. in.)
ELECTRICAL				
Battery Power	500 CCA	700 CCA	700 CCA	700 CCA
Alternator	40 amps	70 amps	70 amps	70 amps
Alternator	20 amps	40 amps	40 amps	40 amps
HYDRAULICS				
Steering	21.6 L/min (5.7 gpm)	19.3 L/min (5.1 gpm)	19.3 L/min (5.1 gpm)	19.3 L/min (5.1 gpm)
Implement	34.7 L/min. (9.2 gpm)	45.3 L/min (12 gpm)	45.3 L/min (12 gpm)	45.3 L/min (12 gpm)
Total Capacity	56.2 L/min. (14.8 gpm)	64.6 L/min (17.1 gpm)	64.6 L/min (17.1 gpm)	64.6 L/min (17.1 gpm)
Lift Capacity (24 in. Behind Link Arms)	999 kg (2,200 lb.)	1134 kg (2,500 lb.)	1134 kg (2,500 lb.)	1134 kg (2,500 lb.)
TRANSMISSION				
Standard Transmission	Hydrostatic	PowrReverser™ (12 Forward/12 Reverse gears)	PowrReverser™ (12 Forward/12 Reverse gears)	eHydro™
Optional Transmission	n/a	eHydro™	eHydro™	n/a
Final Drive	Spur gear	Planetary	Planetary	Planetary
Brakes	Wet disk	Wet disk	Wet disk	Wet disk
Steering	Power	Power	Power	Power
Clutch	Wet disk	Wet disk, PowrReverser™	Wet disk, PowrReverser™	n/a
4WD	Standard	Standard	Standard	Standard

	4105	4320	4520	4720
PTO				
PTO Type	Independent	Independent	Independent	Independent
PTO Locations	Rear standard	Rear standard, mid optional	Rear standard, mid optional	Rear standard, mid optional
Economy PTO	n/a	n/a	Optional	Optional
REAR HITCH				
Type	Category 1	Category 1	Category 1	Category 1
Control Type	Lever	Lever	Lever	Lever
WEIGHT (OPEN STATION)				
With All Fluids	1355 kg (2,987 lb.)	1679 kg (3,700 lb.)	1679 kg (3,700 lb.)	1679 kg (3,700 lb.)
TYRE OPTIONS				
	Bar Tread/R1, Industrial/R4	Bar Tread/R1, Industrial/R4	Bar Tread/R1, Industrial/R4	Bar Tread/R1, Industrial/R4
		Turf Special/R3, Industrial/R4	Turf Special/R3, Industrial/R4	Turf Special/R3, Industrial/R4
Roll Over Protective Structure	Fixed	Folding	Folding	Folding
Comfortgard Cab™	n/a	Optional	Optional	Optional
Air Ride Seat	n/a	Optional	Optional	Optional
Cruise Control	Optional	Standard	Standard	Standard
LoadMatch™	n/a	Standard	Standard	Standard
Auto Cruise / MotionMatch™	n/a	Optional	Optional	Optional
300 CX Loader Lift capacity at full height, measured at pivot	633 kg (1393 lb.)	n/a	n/a	n/a
400 CX Loader Lift capacity at full height, measured at pivot	n/a	997 kg (2,194 lb.)	997 kg (2,194 lb.)	997 kg (2,194 lb.)

Attachment Options

No one builds or backs tractors better than John Deere.

It's the fine print. But a big story: Every John Deere Compact Tractor come with a 2-year/2000-hour limited warranty.

See your dealer for details*.



2 YEARS | 2000 HOURS
LIMITED WARRANTY

JOHN DEERE ATTACHMENT OPTIONS	2320	2520	2720	3032E	3038E	3320	3520	3720	4105	4320	4520	4720
Aerator		✓	✓									
Backhoes	✓	✓	✓						✓	✓	✓	✓
Blades	✓	✓	✓									
Box Blades	✓	✓	✓									
Broadcast Spreaders	✓	✓	✓									
Core Aerators				✓	✓	✓	✓	✓	✓	✓	✓	✓
Disk Harrows	✓	✓	✓						✓	✓	✓	✓
Front Blades				✓	✓	✓	✓	✓				
Food Plot Seeder									✓	✓	✓	✓
Grooming Mowers									✓	✓	✓	✓
Grooming Mowers, Rear Discharge									✓	✓	✓	✓
Landscape Rakes	✓	✓	✓						✓	✓	✓	✓
Loaders	✓	✓	✓						✓	✓	✓	✓
Manure Spreaders	✓	✓	✓						✓	✓	✓	✓
Material Collection System	✓	✓	✓									
Autoconnect Mower Deck							✓	✓	✓			
Mid-Mount Mowers	✓	✓	✓							✓	✓	✓
Overseeders									✓	✓	✓	✓
Pendular Spreaders									✓	✓	✓	✓
Posthole Digger by Rotomec	✓	✓	✓						✓	✓	✓	✓
Pulverisers	✓	✓	✓						✓	✓	✓	✓
Rakes	✓	✓	✓									
Rear Blades				✓	✓	✓	✓	✓	✓	✓	✓	✓
Rotary Brooms	✓	✓	✓				✓	✓				
Rotary Cutters/Slashers	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Rotary Tillers	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Sicklebar Mowers									✓	✓	✓	✓
Snow Blowers	✓	✓	✓									
Tedders	✓	✓	✓									
Wheel Rakes									✓	✓	✓	✓

*See the LIMITED WARRANTY FOR JOHN DEERE COMMERCIAL AND CONSUMER EQUIPMENT for details.



JOHN DEERE
175
SINCE 1837

Total support is **standard equipment.**

No one can duplicate the support and knowledge of your local John Deere dealer.

From the moment you enter a John Deere dealership, you can be sure you're getting the very best in customer assistance. Plus, John Deere dealers are in touch with your local community and understand what it takes to maintain your land.

Factory-trained service and parts professionals keep your equipment working as hard as you do. Whether in the John Deere dealership or in the field, you can get your equipment serviced and move on to the next task.

Flexible financing* **available**

John Deere Finance has convenient and flexible financing options designed for you.

See your dealer for details.

*Conditions apply. Finance available through John Deere Financial Limited (Australian Credit Licence 391484) to approved applicants only.

This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories NOT AVAILABLE in all regions and in some countries products and accessories may require modifications or additions to ensure compliance with the local regulations of those countries. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification and design of products described in this literature without notice. John Deere's green and yellow colour scheme, the leaping deer symbol and JOHN DEERE are trademarks of Deere & Company.

DKA47195 AU (07/12)



JohnDeere.com.au | JohnDeere.co.nz