23 – 59 Gross Engine hp Compact Tractors

For more than a century, the most important thing we've built is TRUST

Behind every Massey Ferguson® emblem is an unbeatable combination of industry-leading technology, proven reliability and equipment solutions that make you more productive and more profitable. It also represents one of the most complete lines of agricultural equipment in the industry.

Massey Ferguson has been designing, engineering, and building equipment you can rely on and trust – generation after generation. Our commitment to your satisfaction remains our top priority with flexible financing, quality parts, and a Massey Ferguson dealer who's beside you every step of the way. It all adds up to a legacy of leadership that has kept more Massey Ferguson tractors on the job worldwide than any other brand.

Around the farm, on the job site or right in your own back yard – there's a Massey Ferguson machine and a dedicated dealer to help you do it better and faster, all day… every day.

Massey Ferguson–what to depend on when everything depends on you.

1500 Series Compact Tractors

Productive Power • Versatile Performance • Exceptional Comfort

EIGHT MODELS to inspire you ENDLESS POSSIBILITIES ahead

A simple philosophy is the driving force behind the 1500 Series – design and build the most productive, versatile and comfortable tractor in its class. The result is an exciting full line of compact tractors that deliver the performance features you want, and a superior level of comfort and convenience that fit into your lifestyle as well.

Massey Ferguson compact tractors are the perfect choice for home owners, part-time farmers, municipalities, landscapers, construction contractors, or grounds maintenance crews. The 1500 Series has a healthy appetite and a do-it-all attitude to handle any application you have in mind. And the stylish good looks not only turn heads, but also offer you outstanding visibility, ease of operation, and a smooth, comfortable ride.

Whether your work day finds you on the fairways, around the field, or right in your own backyard—Massey Ferguson compact tractors are designed with your unique lifestyle and environment in mind. Choose the model that's right for you, and experience the endless possibilities that lie ahead.

Sounds too good to be true? – Test drive a 1500 Series compact tractor today and judge for yourself. Then, take one home and exceed your expectations for productive power, versatile performance, and exceptional comfort.

TRACTOR MODEL	GROSS HP	TRANSMISSION OPTIONS*	OPERATOR STATION
1523	22.5	Gear or Hydrostatic	Platform
1528	28.4	Gear or Hydrostatic	Platform
1531	33.0	Hydrostatic	Platform
1533	33.0	SynchroShuttle, PowerShuttle, Hydrostatic	Platform or Cab
1540	40.1	SynchroShuttle, PowerShuttle, Hydrostatic	Platform
1547	47.0	SynchroShuttle, PowerShuttle, DynaQPS™, Hydrostatic	Platform or Cab
1552	52.0	SynchroShuttle, PowerShuttle, DynaQPS™	Platform or Cab
1560	59.1	PowerShuttle, DynaQPS™	Platform or Cab

**Transmission options vary between cab and platform models.*

Some of the **BEST THINGS** in life come in **COMPACT PACKAGES**

When you're a homeowner, you have plenty of projects on your list. The model 1523 (23 gross engine horsepower) is the perfect example of an all-around machine that offers versatile performance without sacrificing comfort. Plus, a thoughtful, yet practical approach to design ensures every driving experience meets the daily demands of our toughest critic – you.

The compact size and rugged construction make this tractor perfect for mowing and a wide variety of jobs around the house. Add a model 1515 loader to quickly haul and move dirt, mulch, shrubs or plants for flower beds and gardens. Or add a model 1565 backhoe, and take on more serious landscaping opportunities with ease.

Long-Term Durability

The 1523 delivers superior strength and long-term durability with the same rugged all-steel construction as larger models. Traction-boosting 4-wheel drive gets you in and out of tight spots and features heavy-duty, cast-iron housing with oil-encased bevel gears for quiet, smooth operation and long life. Two transmission choices include an economical 6x2 gear or a deluxe 2-range no-clutch-shifting hydrostatic with cruise control to suit your application, as well as your budget.

Platform and Instrumentation

Wide, fender-mounted handles on each side provide easy entry and quick exit. The open and spacious operator platform features instrumentation that takes the guesswork out of any task you need to accomplish. Controls are logically placed and easy to access. And, a deluxe seat provides fore, aft and weight adjustment controls that allow you to customize your work space for a perfect fit. Other creature comforts include an oversized mug holder and easy-to-access service points. An SMV sign provides added visibility during transport.

Rear and mid PTOs and a category I three point hitch offers the flexibility to attach a wide range of front, mid and rear-mounted implements, increasing the versatility of the model 1523. Position control offers precision and response control for fine adjustments up and down, while the adjustable drop rate control is tucked beneath the seat for quick and easy access.

Sometimes, being a **WEEKEND WARRIOR** is a **SEVEN DAY ADVENTURE**

1. Fuel gauge
2. Tachometer & hour meter
3. Temperature gauge
4. Dual stage clutch pedal
5. Headlight switch
6. Hand throttle
7. Warning light switch
8. Brake pedal with park lock
9. Pedestal mounted joystick
10. Range shift lever
11. Rear PTO lever
12. Gear shift lever
13. Deluxe suspension seat
14. 3 pt. hitch position control lever
15. Cup holder
16. Folding ROPS
17. Isolated platform with floor mat
18. Differential lock
19. Rate of drop control
20. Mid PTO disconnect
21. 4wd engagement

The ideal choice for around the home, estate or acreage the 1528 (28.4 gross engine hp) and 1531 (33 gross engine hp) are a perfect match when your lifestyle includes a love of the land and a lot of land to manage and maintain.

A deluxe operator station provides all the comforts you expect as well as the functionality that you need to get the job done fast. Controls are right at your fingertips providing efficient and simple operation.

ECONOMICAL Yet FUNCTIONAL

9x3 Constant Mesh Transmission *Ease of operation and rugged reliability are derived from the 9x3 constant mesh transmission which provides 9 forward speeds and 3 reverse speeds.*

3 Range Hydrostatic Transmission *Three non-synchronized ranges with infinitely variable foot pedal control provide an unlimited speed range with exceptional maneuverability. Standard cruise control is perfect for wide-acreage mowing to smooth out the ride and keep you on the job going strong.*

Independent PTO *Independent mid (2000 rpm) and rear (540 rpm) PTO are engaged with the simple push/turn of a knob, providing easy use with excellent durability. (HST models)*

Live PTO *Live rear (540 rpm) and optional mid (2000rpm) PTO provide an economical option while maintaining functionality. (gear models)*

If you are looking for an economical yet functional tractor, these are the ones for you. Mid-chassis models keep you more productive all day, every day powered by liquid cooled three-cylinder diesel engines. Specifically designed for reliable and versatile performance, their convenient size also means you'll maneuver in and out of tight spaces with smooth precision.

The high capacity Category I three-point hitch is standard equipment on both models and offers you precise position and response control. Now, maintaining the drive with a blade, mowing large acreage with a rear-mounted finish mower, or digging post holes around the farm or estate has never been easier. These features are sure to suite the task at hand.

Earn a REPUTATION for REPEAT BUSINESS

Rate of Drop Control *allows you to adjust the speed at which the hitch lowers the implement, so you can fine tune the control to match the job.*

Lift Assist Cylinder *comes standard on models 1547 and 1552 for increased lift capacity on the 3-point hitch.*

Telescopic Draft Link Ends *slide out and move up and down to make it easy to hook up and connect to any implements and attachments.*

Telescopic Stabilizers *make it easy to hook up and adjust the side-to-side sway of each type of implement.*

The cornerstone of any successful business starts with a solid business plan. That's why construction contracting professionals, grounds maintenance crews and city municipalities, full-time farmers, stable owners, and ranchers rely on their equipment to perform on demand and deliver bottom-line results, time after time.

Versatile and Reliable

When bids, budgets and on-time delivery schedules are part of your daily vocabulary, you can't afford to be without reliable, high performance tractors that get the job done right regardless of the work you do:

- pasture maintenance
- feed, dirt and bale handling
- municipality mowing and snow removal
- golf course and property management
- construction and land development
- commercial contract industries

Power-Hungry Workforce

Built with a do-it-all attitude and rugged construction, these multi-purpose machines put you in control on any job site, while the compact design makes them agile enough to work in tight quarters and cramped spaces. All four power-packed large-chassis models (33–59.1 gross engine hp) feature three or four-cylinder diesel engines for years of dependable service and unmatched performance. Select the model that best suits your specialized application.

When it's all about the business, look no further than the versatile performance, rugged construction and dependable service of the models 1533, 1540, 1547, 1552 or 1560 to deliver consistent repeat business, and profitable bottom-line results.

TRANSMISSIONS to fit your LIFESTYLE

8x8 SynchroShuttle

A base transmission available on all four models, the 8x8 SynchroShuttle provides you with 8 forward speeds and 8 reverse speeds. The shuttle lever is located on the left side of the steering column within easy reach of the operator. Direction changes are easily made by depressing the clutch and moving the shuttle lever to the desired direction of travel. This transmission offers exceptional performance at a value price and is perfect for almost any job.

12x12 PowerShuttle

A step up from the base transmission, the 12x12 PowerShuttle offers 12 forward speeds and 12 reverse speeds. With four speeds below one mile per hour, this transmission is great for jobs that require slow constant speeds. The shuttle lever can be actuated without removing your hand from the steering wheel, making this transmission the perfect choice for loader work. To change the direction of travel, simply slow the engine and move the shuttle lever to the desired direction of travel. A wet clutch controls shuttle shifts and offers excellent durability and long life.

3 Range Hydrostatic

Available on models 1533, 1540, and 1547 this transmission offers ease of operation and unmatched performance. Separate forward and reverse pedals mean precise control of speed and travel direction, with plenty of open platform space for added comfort. The new engine acceleration feature makes your tractor easier to operate since the HST pedal also controls engine speed. The hand throttle can be used to set the speed for operations using the PTO or other tasks requiring constant engine speed. It's a great choice for lawn care, landscaping work, or any job that requires repeat direction changes.

12x12 DynaQPS™

Available on the cab models 1547, 1552 and 1560 this transmission combines the rugged durability of a PowerShuttle and the convenience of a four-speed powershift, allowing you to change direction and gears without using the clutch. Two buttons are located on the range shift lever to shift up and down through each of four gears. When slowing the engine speed, simply move the PowerShuttle lever to the desired direction of travel and the tractor will automatically slow itself down and change direction. This transmission is an ideal choice for all types of jobs and working conditions.

Our EXCLUSIVE, COMFORTABLE CAB Your ULTIMATE DRIVING EXPERIENCE

Rear View Mirrors

Standard left and right mirrors let you see what's behind you at a glance. (2006 production models)

Digital Instrument Panel*

A deluxe instrument panel with digital display provides quick access to information such as gear selection, ground speed, engine coolant, temperature, and fuel level. It also offers accurate and immediate diagnostic readouts and servicing information.

HVAC Controls

Heating and air-conditioning controls are located within easy reach in the upper-right portion of the cab headliner. There are four vents in the front cab, two in the center, and two on the sides, along with re-circulation intake vents positioned in the rear. Two levers control location adjustment and temperature, while a simple knob provides rate of air flow.

Front & Rear Wiper/Washer

Standard front and rear windshield wipers and washers keep you on the job, even in damp or misty conditions. (2006 production models)

Lighting Package

Two headlights in the front grill, two work lights on the roof of the cab, and another pair of lights in the back provide excellent 360-degree visibility for night-time operation.

Nothing says luxury, all-weather convenience, and quiet operation more than an optional, factory-installed cab. Available on the models 1533, 1547, 1552 and 1560 this deluxe design offers standard dual-side entry, exceptional visibility, and conveniently placed controls that are all within easy reach. Heating and air-conditioning also make it comfortable, no matter what the weather has in store. And the spacious interior not only looks good, but keeps you working at optimum performance.

*1547, 1552 and 1560 Cab Models

Platform models are designed to enhance your productivity and pure enjoyment. Ergonomically designed from end to end, they feature plenty of leg room, logically-placed controls, and easy-to-read gauges that keep you on the task at hand.

Take a seat, fasten your seatbelt, get to work, and enjoy the ride. It's really that simple. How can we make a tractor that's so comfortable, yet hard working and reliable? We've focused on the details that matter most to you, without sacrificing the reliability you've come to expect from Massey Ferguson.

Let us show you …

the BIG picture.

"Load. Lift. Level. Scoop. Push." Anyway you say it, it's the START OF SOMETHING NEW

Attaching and Removing Your Massey Ferguson Loader

STEP 1

Lower the parking stands. With the loader lowered use the bucket tilt to release the pressure on the pins. Remove the pins.

STEP 2

Use the tractor hydraulics to raise the loader frame out of the mounts.

STEP 3

Disconnect the hydraulic hoses and back away from the loader.

Pallet Forks

Bale Spears

LOADER MODEL	1515	1520	1525	1530
Max. lift height @ pivot pin: in. (mm)	74 (1,880)	90 (2,286)	102 (2,591)	114.5 (2,908)
Dump angle @ max. height: degrees	51	44	47	47
Bucket roll back angle: degrees	23	17	30	30
Lift capacity to full height @ pivot pin: lbs. (kg)	800 (363)	960 (435)	1,900 (862)	2,618 (1,188)
Lift capacity to full height @ 19.5" forward: lbs. (kg)	565 (256)	785 (356)	1,314 (596)	1,617 (733)
Breakout force @ bucket edge: lbs. (N)	965 (4,289)	1,145 (5,089)	1,955 (8,696)	2,960 (13,284)
Bucket options: in.	48", 54"	48", 54", 60"	60", 66" & 66" HD	66" HD, 72" & 72" HD
Bucket options: (mm)	1,219 & 1,372	1,219; 1,372 & 1,524	1,524; 1,676 & 1.676 HD	1,676 HD, 1,829 & 1,829 HD
Compatible tractor models	1523	1528, 1531	1533, 1540	1547, 1552, 1560

When you need a dedicated, hardworking partner, there's nothing more versatile or reliable than a high-capacity Massey Ferguson loader. Designed with industry-leading performance features, you'll take full advantage and total control of any work site. With four loader models built specifically for 1500 series tractors, the pedestal mount makes removal and installation faster than ever. And servicing your tractor with the loader mounted has never been easier, thanks to a design that allows access to all major service points.

The low-profile design adds greater visibility and offers the ultimate in strength, stability, and overall performance. Increased hydraulic flows on all 1500 series tractors maximize loader cycle times, so you'll make the most of every minute on the job. Superior lift capacities not only add rugged reliability, they also make it possible to take on even bigger jobs with less effort.

Skid-Steer Quick Attach

Pin-Type Quick Attach

Heavy-Duty Bucket with Cutting Edge

3-Point Weight Box

If you **DREAM OF DITCHING** the office job … you'll really **DIG THIS BACKHOE**

Attaching and Removal of Your Massey Ferguson Backhoe

STEP 1

Lower stabilizers slightly off the ground. Extend boom to raise tractor slightly and remove mounting pins.

STEP 2

Use boom to let backhoe roll back and out of the cradle.

STEP 3

Lower stabilizers to steady backhoe while storing. Shut off tractor and disconnect hydraulic hoses.

Multiple Bucket Options

Ergonomically Designed Controls

Break new ground and open up a world of possibilities with a rugged Massey Ferguson backhoe. Four models feature a Quick-Attach system that lets you mount your backhoe to the sub-frame in minutes, and allows you to change implements quickly to move from job to job, fast.

Each model boasts convenient joystick control levers for easy management of all digging functions. That means you can quickly maneuver in tight and cramped spaces for added productivity.

Twin Swing Cylinders

BACKHOE MODEL	1565	1570	1575	1580
Dipper digging force: lbs. (kg)	1,180 (535)	1,450 (658)	1,900 (862)	2,600 (1,179)
Bucket digging force: lbs. (kg)	1,950 (884)	2,400 (1,088)	3,250 (1,474)	4,160 (1,887)
Maximum digging depth: in. (mm)	78 (1,981)	78 (1,981)	90 (2,286)	100 (2,540)
Maximum reach: in. (mm)	102 (2,590)	102 (2,590)	112 (2,845)	127 (3,226)
Swing arc: degrees	140	180	180	180
Standard duty bucket options: in.	10 & 12	10, 12, 16, 24 & 37	10, 12, 16, 24 & 37	10, 12, 16, 24 & 37
Standard duty bucket options: (mm)	254, 305	254, 305, 406, 610 & 940	254, 305, 406, 610 & 940	254, 305, 406, 610 & 940
Heavy duty bucket options: in.	-	12, 16, & 24	12, 16, & 24	12, 16, & 24
Heavy duty bucket options: (mm)	-	305, 406 & 610	305, 406 & 610	305, 406 & 610
Compatible tractor models	1523	1528, 1531	1533, 1540, 1547, 1552	1533, 1540, 1547, 1552

The grass is ALWAYS GREEN on YOUR SIDE OF THE FENCE

1000 SERIES ROTARY CUTTER
- Widths: in. 48", 60" & 72"
  (mm) (1,219; 1,524 & 1,829)
- Standard Duty

2000 SERIES ROTARY CUTTER
- Widths: in. 60" & 72"
  (mm) (1,524 & 1,829)
- Medium Duty

3000 SERIES ROTARY CUTTER
- Width: in. 72"
  (mm) (1,829)
- Heavy Duty

1505 MID-MOUNT MOWER
- Widths: in. 60" & 72"
  (mm) (1,524 & 1,829)
- Side discharge

1700 SERIES REAR FINISH MOWER
- Widths: in. 60", 72" & 84"
  (mm) (1,524; 1,829 & 2,134)
- Side or rear discharge*

**84" rear discharge only*

A variety of high-capacity, mid-mount mowers are available to keep your lawn the envy of the neighborhood. Add a 3-point mounted mower and cut any job down to size. Whether you're mowing large acreage, clipping pastures, or clearing an overgrown field, there's a Massey Ferguson mower designed to fit your needs.

There's NOTHING COMPACT about OUR LINE OF IMPLEMENTS

500 SERIES BOX BLADE
- Widths: in. 48", 60", 72" & 84"
  (mm) (1,219; 1,524; 1,829 & 2,134)
- Adjustable scarifier shanks

700 SERIES BLADE
- Widths: in. 60", 72" & 84"
  (mm) (1,524; 1,829 & 2,134)
- Standard duty blades

800 SERIES BLADE
- Widths: in. 72" & 84"
  (mm) (1,829 & 2,134)
- Medium duty blades

600 SERIES LANDSCAPE RAKE
- Widths: in. 60", 72", 84" & 96"
  (mm) (1,524; 1,829, 2,134 & 2,438)
- Optional gauge wheels

400 SERIES DISC HARROW
- Widths: ft. 5.5', 6.5' & 7.5'
  (mm) (1,676; 1,981 & 2,286)
- Adjustable gangs (fore and aft)

900 SERIES POSTHOLE DIGGER
- Auger diameters: in. 6", 9" & 12"
  (mm) (152, 227 & 305)

1300/1400 SERIES ROTARY TILLER
- Widths: in. 48", 60 & 72"
  (mm) (1,219; 1,524 & 1,829)
- Standard/Heavy duty tiller

DON'T LET THE SNOW
stop you in your tracks

Be ready to play in the snow, by having your compact tractor equipped with a front mount blade, broom or snow blower. In the spring, summer and fall seasons, use your blade to do those vital landscaping projects. Move dirt and rock around with ease, or use the broom to clean off the driveway and sidewalk.

1405 FRONT BLADE
- Width: in. 66" (1676mm)

1415 ROTARY BROOM
- Width: in. 61" (1549mm)

1410 SNOW BLOWER
- Width: in. 63 (1600mm)

SNOW BLOWER	1410	1507
Lift Type	Hydraulic	Hydraulic
Number of Phases	2	2
Drive	Mid PTO	Mid PTO
Chute Rotation	Hydraulic	Hydraulic
Adjustable Deflector	Manual/Electric or Hydraulic (opt.)	Manual/Electric or Hydraulic (opt.)
Adjustable Rear Skid Shoes	Yes	Yes
Replaceable Cutting Edge	Yes	Yes
Overall Width: in (mm)	63 1/8 (1,603)	72 (1,829)
Cutting Width: in (mm)	63 (1,600)	71 7/8 (1,826)
Cutting Height w/skid shoe: in (mm)	24 (610)	26 (660)
Compatibility	1528, 1531, 1533, 1540	1547 & 1552

ROTARY BROOM	1415	1535
Lift	Hydraulic	Hydraulic
Angling	Manual/Hydraulic (opt.)	Hydraulic
Angling Degrees: Manual/Hyd.	0-12.5-25/0-25	0-25
Drive	Mid PTO	Mid PTO
Broom Drive	No. 50 Chain	No. 50 Chain
Broom Diameter: in (mm)	18 (457.2)	21 5/8 (549)
Working Width at Max. Angle: in (mm)	49 3/8 (1,254)	60 1/4 (1,530)
Overall Width: in (mm)	61 (1,549)	77 1/4 (1,962)
Compatibility	1528, 1531, 1533, 1540	1547 & 1552

DOZER BLADE	1405	1545/1550
Lift Type	Hydraulic	Hydraulic
Angling	Manual/Hydraulic (opt.)	Hydraulic
Angling Degrees: Manual/Hyd.	0-15-30/0-30	0-30
Adjustable Skid Shoes	Yes	Yes
Blade Security Spring	Yes	Yes
Reversible Cutting Edge	Yes	Yes
Overall Width: in (mm)	66 (1,676)	72 (1,829)/84 (2,134)
Overall Height: in (mm)	22 3/8 (568)	22 3/8 (568)
Compatibility	1528, 1531, 1533, 1540	1547 & 1552

1545/1550 FRONT BLADE
- 1545 Width: in 72" (1829mm)
- 1550 Width: in 84" (2134mm)

1535 ROTARY BROOM
- Width: in 77" (1962mm)

1507 SNOW BLOWER
- Width: in 71 7/8" (1826mm)

FRONT QUICK HITCH
- Easy removal and hookup

Finally, a tractor that's SIMPLE TO SERVICE and EASY TO OWN

1500 Series compact tractors have nothing to hide, with a convenient flip-up hood and removable side panels. Quick and easy access to the engine compartment offers quick inspection of all major functions, while convenient service points keep maintenance time to a minimum.

A convenient side panel cutout allows you to check the engine oil, without opening the hood or side panel.

A removable screen protects the radiator from debris and is easy to clean.

An easy-to-access air cleaner is located at the front, for quick replacement.

With a filler extension pipe, it's easy to add hydraulic oil when needed.

Keep tabs on hydraulic oil simply by checking the site glass, and add oil easily with the fill port pipe extension.

Foldable ROPS provide temporary access to low clearance buildings, and ensures safe operation when used in the upright and locked position.

A built-in fuel door means you don't have to "raise the roof" when you need to "top off" the tank. There's also an overflow drain around the fill area to catch overflow.

R1 TIRES (BAR TREAD)

Also known as ag tires, these are best suited for applications where maximum traction is a main concern.

R4 TIRES (INDUSTRIAL TREAD)

Offer excellent traction, are gentler on grass, and considered the most versatile choice.

R3 TIRES (TURF TIRES)

Perfect for all mowing-type applications, R3 tires cause little ground disturbance due to less aggressive tread.

LSW TIRES (GOLF COURSE TIRES)

Extra-wide tread, shallow lugs, and rounded edges make these tires ideal for golf courses or any application where floatation and minimal ground disturbance is a high priority.

TIRE CHOICE — **TRACTOR MODELS**

	1523	1528/1531	1533/1540	1547/1552	1560
R1	X	X	X	X	X
R3	X	X	X	X	n/a
R4	X	X	X	X	X
LSW	n/a	n/a	X	X	X

Canopy. *Gray or white plastic sunshade canopy.*

Right Step. *An additional right step can be added to large chassis models.*

Rear Weight Box. *Adds weight to the rear of the tractor for ballast during loader use.*

Front Weights. *Front suitcase weights offer added stability and optimum balance.*

Wheel Weights. *Wheel weights are available for use on large chassis R1, R3 and R4 tires.*

Grille Guard. *A front grille guard can be used with or without a loader, and hold suitcase weights.*

Massey Ferguson DEPENDABILITY is always a smart INVESTMENT

All Massey Ferguson 1500 Series compact tractors offer the kind of reliability that make them a sound investment, year-after-year. Which tractor is right for you? The following page offers specifications on all eight models to help you decide.

Whether your goal is creating a landscape, golf course maintenance, residential use, or farming, the 1500 Series offers a selection of tractors and implements to fit your individual lifestyle and budget.

Stop by your Massey Ferguson dealer and test drive one today.

TRACTOR MODEL	1523 4WD PLATFORM	1528 4WD PLATFORM	1531 4WD PLATFORM	1533 4WD PLATFORM/CAB	1540 4WD	1547 2WD*/4WD PLATFORM/CAB	1552 2WD*/4WD PLATFORM/CAB	1560 4WD PLATFORM/CAB
ENGINE								
Gross Engine HP	22.5	28.4	33	33	40.1	47	52	59.1
PTO HP: gear/hst***	18.7/17.6	24.5/22.3	24.5	26/24.5	31	38/36.5	41	46.4
Rated engine speed	2600	2500	2600	2600	2600	2600	2500	2600
Type	3 cylinder diesel	3 cylinder diesel	3 cylinder diesel	3 cylinder diesel	3 cyl. turbo charged diesel	4 cylinder diesel	4 cylinder diesel	4 cylinder diesel
Displacement: in^3 (cc)	68.5 (1123)	89.28 (1463)	91.4 (1498)	91.4 (1498)	91.4 (1498)	134 (2197)	180 (2955)	180 (2955)
Cooling system	liquid cooled	liquid cooled	liquid cooled	liquid cooled	liquid cooled	liquid cooled	liquid cooled	liquid cooled
Fuel tank capacity: gal (L)	6.6 (25)	7.9 (30)	7.9 (30)	10.6 (40)	10.6 (40)	13.2 (50)	13.2 (50)	13.2 (50)
TRANSMISSION OPTIONS								
Standard Gear	6Fx2R Constant mesh	9Fx3R Constant mesh	-	-	-	-	-	-
SynchroShuttle	-	-	-	8Fx8R (platform only)	8Fx8R	8Fx8R (platform only)	8Fx8R (platform only)	-
PowerShuttle	-	-	-	12Fx12R	12Fx12R	12Fx12R (platform only)	12Fx12R (platform only)	12Fx12R
DynaQPS™ w/PowerShuttle	-	-	-	-	-	12Fx12R (cab only)	12Fx12R (cab only)	12Fx12R (cab only)
Hydrostatic w/Cruise	2 Range	3 Range	3 Range	3 Range (platform only)	3 Range	3 Range	-	-
Rear brakes	wet disc	wet disc	wet disc	wet disc	wet disc	wet disc	wet disc	wet disc
PTO								
Rear PTO type: gear/hst	Trans. Driven/Ind. 540 RPM	Live/Ind. 540 RPM	Independent 540 RPM	Independent 540 RPM	Independent 540 RPM	Independent 540 RPM	Independent 540 RPM	Independent 540 RPM
Control: gear/hst	Mech/electro-hydraulic	Mech/electro-hydraulic	electro-hydraulic	electro-hydraulic	electro-hydraulic	electro-hydraulic	electro-hydraulic	electro-hydraulic
Mid PTO type	2000 RPM (opt on gear)	2000 RPM (opt on gear)	2000 RPM	2000 RPM (optional)	2000 RPM (optional)	2000 RPM (optional)	2000 RPM (optional)	-
HYDRAULICS								
Type of system	Open center	Open center	Open center	Open center	Open center	Open center	Open center	Open center
Flow at remotes: gpm (lpm)	5.4 (20.6)	7.4 (28)	7.7 (29.2)	9.1 (34.4)	9.1 (34.4)	11.6 (43.8)	12.5 (47.5)	12.8 (48.6)
Power steering flow: SS,HST/PS gpm (lpm)	2.64 (10)	2.6 (9.8)	2.7 (10.2)	4.9 (18.5)/6 (22.7)	4.9 (18.5)/6 (22.7)	4.9 (18.5)/6 (22.7)	5.3 (20.1)/6.5 (24.6)	6.8 (25.6)
Total flow: gpm (lpm)	8.04 (30.6)	10 (37.8)	10.4 (39.4)	14 (52.9)/15.1 (57.1)	14 (52.9)/15.1 (57.1)	16.5 (62.3)/17.6 (66.5)	17.8 (67.6)/19 (72.1)	19.6 (74.2)
Factory installed joystick	-	-	-	Optional**	Optional**	Optional**	Optional**	Standard
Rear Auxiliary Remotes	-	2 spool optional	2 spool optional	2 spool optional	2 spool optional	2 spool optional**	2 spool optional**	2 spool optional**
3 PT HITCH								
ASAE hitch	Cat. I	Cat. I	Cat. I	Cat. I	Cat. I	Cat. I	Cat. I	Cat. I/II
Controls	Position	Position	Position	Position	Position	Position	Position	Position/Draft
Rate of drop control	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Lift capacity @ hitch point	1190 (540)	2425 (1100)	2425 (1100)	2800 (1270)	2800 (1270)	3483 (1580)	3483 (1580)	3748 (1700)
Type of stabilizers	Turnbuckle	Turnbuckle	telescopic bar	telescopic bar	telescopic bar	telescopic bar	telescopic bar	telescopic bar
Type of link ends: 2wd/4wd	Fixed	Fixed	Fixed	telescopic	telescopic	fixed/telescopic	fixed/telescopic	telescopic
OPERATOR AREA								
Platform type	Semi-flat	Semi-flat isolated	Semi-flat isolated	Semi-flat isolated	Semi-flat isolated	Flat isolated	Flat isolated	Flat isolated
ROPS	Fixed	Folding	Folding	Folding	Folding	Folding	Folding	Folding
Seat type	suspended	suspended	suspended	suspended	suspended	suspended	suspended	suspended
Seat belt type	retractable	retractable	retractable	retractable	retractable	retractable	retractable	retractable
Hood type	Flip up	Flip up	Flip up	Flip up	Flip up	Flip up	Flip up	Flip up
DIMENSIONS WITH AG TIRES								
Overall length: in (mm)	102 (2590)	112.4 (2855)	112.4 (2855)	121 (3070)	121 (3070)	132.7 (3370)	132.7 (3370)	134.6 (3420)
Minimum overall width: in (mm)	42.3 (1075)	53.5 (1360)	53.5 (1360)	62 (1565)	62 (1565)	66.1 (1680)	66.1 (1680)	69.7 (1770)
Maximum height over ROPS: in (mm)	77 (1955)	80.7 (2050)	80.7 (2050)	87.4 (2220)	87.4 (2220)	90.7 (2305)	90.7 (2305)	91.7 (2330)
Ground clearance: in (mm)	10.4 (265)	10 (255)	10 (255)	14 (360)	14 (360)	14.8 (375)	14.8 (375)	15.7 (400)
Wheelbase: in (mm)	59.8 (1520)	65.6 (1665)	65.6 (1665)	70 (1770)	70 (1770)	75 (1900)	75 (1900)	79 (2000)
Shipping weight: lb (kg)	1532 (695)	2423 (1100)	2423 (1100)	3025 (1375)/3384 (1535)	3058 (1390)	3597 (1635)/3957 (1795)	3663 (1665)/4023 (1825)	4078 (1850)/4464 (2025)

*2wd model only available in a platform model with an 8x8 SynchroShuttle transmission
**Hydrostatic and Cab models come standard with Factory Joystick Valve. 1547,1552 & 1560 PowerShuttle models come standard with Factory Joystick valve. 1547, 1552 & 1560 cab models come standard with 2-spool rear remotes
***Manufacturers estimate

AGCO Corporation has a corporate policy of continuous product improvement and development; therefore, specifications are subject to change without any advance notice AGCO Corporation is not responsible for differences between the specifications or illustrations contained in this publication and the actual equipment.

YOUR SATISFACTION IS THE MOST IMPORTANT PART OF A MASSEY FERGUSON® 1500 SERIES TRACTOR.

AGCO PARTS

QUALITY PARTS

Massey Ferguson branded parts are manufactured to meet the same high standards of dependability as every MF 1500 Series tractor and implement. Continued and consistent use of these quality parts will help keep your tractor running like new.

MASSEY FERGUSON®

EXCEPTIONAL SERVICE

Count on your MF Dealer for prompt service from qualified technicians who know your MF 1500 Series tractor inside and out. What's more, your MF Dealer is determined to earn your business with extra effort at every turn.

AGCO FINANCE

LOW-RATE, FLEXIBLE FINANCING

Your MF Dealer and AGCO Finance offer attractive financing to make sure a new MF 1500 Series tractor will fit your operating budget. Extremely competitive rates and terms make it easy to buy, lease or rent.

MASSEY FERGUSON®

Massey Ferguson® is a worldwide brand of AGCO Corporation, Duluth, GA. • www.masseyferguson.com • MF06146 (05) 40 GSG